

# March 2026

## MEDPACE

Clinical Pharmacology

### GLP-131 MAD Cohort 4

Sun	Mon	Tue	Wed	Thu	Fri	Sat
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>
<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b> Begin prescription and OTC drug and herbal remedies, CYP3A4 inhibitors (including Seville oranges and grapefruit), and sensitive substrates restrictions	<b>12</b>	<b>13</b>	<b>14</b>
<b>15</b>	<b>16</b>	<b>17</b> Begin cruciferous vegetables and barbecued/chargrilled meat restrictions	<b>18</b> Begin plasma donation restrictions	<b>19</b>	<b>20</b>	<b>21</b> Begin biotin and exercise restrictions
<b>22</b> Begin alcohol, marijuana, THC, CBD, and poppy seeds restrictions	<b>23</b>	<b>24</b> <b>Day -1 Admission</b>  Begin blood donation, grapefruit, cranberry, caffeine, and other xanthines restrictions	<b>25</b> <b>Day 1 Dose</b>  Begin sunlight restrictions	<b>26</b> <b>Day 2 Discharge</b>	<b>27</b> <b>Day 3 Home Dose</b> <b>*Complete dosing diary</b>	<b>28</b> <b>Day 4 Home Dose</b> <b>*Complete dosing diary</b>
<b>29</b> <b>Day 5 Home Dose</b> <b>*Complete dosing diary</b>	<b>30</b> <b>Day 6 Home Dose</b> <b>*Complete dosing diary</b>	<b>31</b> <b>Day 7 Home Dose &amp; Admission</b> <b>**Bring IP and</b>				

#### Study Inpatient dates:

Mar 24-26, 2026  
 Mar 31-Apr 02, 2026  
 Apr 07-09, 2026  
 Apr 14-16, 2026  
 Apr 20-22, 2026  
 May 04-07, 2026

#### Study Home Dosing dates:

Mar 27-31, 2026  
 Apr 03-07, 2026  
 Apr 10-14, 2026  
 Apr 17-20, 2026  
 Apr 23-May 04, 2026

#### Study Outpatient dates:

May 12, 2026

#### Instructions / Restrictions:

- Avoid use of any prescribed or over-the-counter drug or herbal remedies (other than HRT/hormonal contraception) **in the 14 days before Day 1.**
- Avoid use of strong and moderate CYP3A4 inhibitors (including Seville oranges, grapefruit, grapefruit hybrids or grapefruit juice) or sensitive substrates of CYP3A4 or P-gp/BCRP with narrow therapeutic indices **in the 14 days before Day 1.**
- Avoid use of CYP3A4 inducers **in the 28 days before Day 1.**
- Avoid donation of plasma **in the 7 days before Day 1.** Avoid donation of blood or plasma **from first admission, throughout the study duration, and for at least 30 days following last dose of study medication.**
- Abstain from alcohol during the **48 h prior to first admission until 72 h post-final dose.**
- Abstain from marijuana, THC, or CBD products during the **48 h prior to first admission until 72 h post-final dose.**
- Avoid drinking liquids or eating foods containing grapefruit, cranberry, caffeine or other xanthines from **24 h prior to first dose until 72 h post-final dose.**
- Refrain from eating food containing poppy seeds for **48 h prior to first admission until 72 h post-final dose.**
- Refrain from eating food containing cruciferous vegetables (e.g. broccoli, brussels sprouts, cabbage, cauliflower, horseradish, kale, kohlrabi, mustard seeds/leaves, radish, wasabi and watercress) or barbecued/chargrilled meat for **7 days prior to first admission until 72 h post-final dose.**
- Refrain from using biotin or biotin-containing products during the **72 h prior to first admission until 72 h post-final dose.**
- Avoid any unaccustomed or strenuous exercise from **72 h prior to first admission until 72 h post-final dose.**
- Minimize exposure to sunlight by spending a reduced amount of time outdoors/remaining inside the clinical unit during residential periods of the study, wearing sunglasses and clothing that minimizes exposure to sunlight, and using sun cream on exposed areas when going outdoors, and avoid using sunbeds **from first dose until 7 days post-final dose.**

**Reminder:** Breath alcohol and cotinine & urine drug test at **Day -1 Admission only** and COVID-19 rapid antigen test at **Day -1, Day 7, Day 14, Day 21, Day 27, and Day 41 Admission.**

**\*payment to occur within 48 hours after payment visit day**

# April 2026

## MEDPACE

Clinical Pharmacology

### GLP-131 MAD Cohort 4

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			<b>1</b> <b>Day 8 Dose</b>	<b>2</b> <b>Day 9 Discharge</b>	<b>3</b> <b>Day 10 Home Dose</b> <i>*Complete dosing diary</i>	<b>4</b> <b>Day 11 Home Dose</b> <i>*Complete dosing diary</i>
<b>5</b> <b>Day 12 Home Dose</b> <i>*Complete dosing diary</i>	<b>6</b> <b>Day 13 Home Dose</b> <i>*Complete dosing diary</i>	<b>7</b> <b>Day 14 Home Dose &amp; Admission</b> <i>**Bring IP and dosing diary</i>	<b>8</b> <b>Day 15 Dose Payment #1*</b>	<b>9</b> <b>Day 16 Discharge</b>	<b>10</b> <b>Day 17 Home Dose</b> <i>*Complete dosing diary</i>	<b>11</b> <b>Day 18 Home Dose</b> <i>*Complete dosing diary</i>
<b>12</b> <b>Day 19 Home Dose</b> <i>*Complete dosing diary</i>	<b>13</b> <b>Day 20 Home Dose</b> <i>*Complete dosing diary</i>	<b>14</b> <b>Day 21 Home Dose &amp; Admission</b> <i>**Bring IP and</i>	<b>15</b> <b>Day 22 Dose</b>	<b>16</b> <b>Day 23 Discharge</b>	<b>17</b> <b>Day 24 Home Dose</b> <i>*Complete dosing diary</i>	<b>18</b> <b>Day 25 Home Dose</b> <i>*Complete dosing diary</i>
<b>19</b> <b>Day 26 Home Dose</b> <i>*Complete dosing diary</i>	<b>20</b> <b>Day 27 Home Dose &amp; Admission</b> <i>**Bring IP and</i>	<b>21</b> <b>Day 28 Dose</b>	<b>22</b> <b>Day 29 Discharge Payment #2*</b>	<b>23</b> <b>Day 30 Home Dose</b> <i>*Complete dosing diary</i>	<b>24</b> <b>Day 31 Home Dose</b> <i>*Complete dosing diary</i>	<b>25</b> <b>Day 32 Home Dose</b> <i>*Complete dosing diary</i>
<b>26</b> <b>Day 33 Home Dose</b> <i>*Complete dosing diary</i>	<b>27</b> <b>Day 34 Home Dose</b> <i>*Complete dosing diary</i>	<b>28</b> <b>Day 35 Home Dose</b> <i>*Complete dosing diary</i>	<b>29</b> <b>Day 36 Home Dose</b> <i>*Complete dosing diary</i>	<b>30</b> <b>Day 37 Home Dose</b> <i>*Complete dosing diary</i>		

#### Study Inpatient dates:

Mar 24-26, 2026  
 Mar 31-Apr 02, 2026  
 Apr 07-09, 2026  
 Apr 14-16, 2026  
 Apr 20-22, 2026  
 May 04-07, 2026

#### Study Home Dosing dates:

Mar 27-31, 2026  
 Apr 03-07, 2026  
 Apr 10-14, 2026  
 Apr 17-20, 2026  
 Apr 23-May 04, 2026

#### Study Outpatient dates:

May 12, 2026

#### Instructions / Restrictions:

- Avoid use of any prescribed or over-the-counter drug or herbal remedies (other than HRT/hormonal contraception) **in the 14 days before Day 1.**
- Avoid use of strong and moderate CYP3A4 inhibitors (including Seville oranges, grapefruit, grapefruit hybrids or grapefruit juice) or sensitive substrates of CYP3A4 or P-gp/BCRP with narrow therapeutic indices **in the 14 days before Day 1.**
- Avoid use of CYP3A4 inducers **in the 28 days before Day 1.**
- Avoid donation of plasma **in the 7 days before Day 1.** Avoid donation of blood or plasma **from first admission, throughout the study duration, and for at least 30 days following last dose of study medication.**
- Abstain from alcohol during the **48 h prior to first admission until 72 h post-final dose.**
- Abstain from marijuana, THC, or CBD products during the **48 h prior to first admission until 72 h post-final dose.**
- Avoid drinking liquids or eating foods containing grapefruit, cranberry, caffeine or other xanthines from **24 h prior to first dose until 72 h post-final dose.**
- Refrain from eating food containing poppy seeds for **48 h prior to first admission until 72 h post-final dose.**
- Refrain from eating food containing cruciferous vegetables (e.g. broccoli, brussels sprouts, cabbage, cauliflower, horseradish, kale, kohlrabi, mustard seeds/leaves, radish, wasabi and watercress) or barbecued/chargrilled meat for **7 days prior to first admission until 72 h post-final dose.**
- Refrain from using biotin or biotin-containing products during the **72 h prior to first admission until 72 h post-final dose.**
- Avoid any unaccustomed or strenuous exercise from **72 h prior to first admission until 72 h post-final dose.**
- Minimize exposure to sunlight by spending a reduced amount of time outdoors/remaining inside the clinical unit during residential periods of the study, wearing sunglasses and clothing that minimizes exposure to sunlight, and using sun cream on exposed areas when going outdoors, and avoid using sunbeds **from first dose until 7 days post-final dose.**

**Reminder:** Breath alcohol and cotinine & urine drug test at **Day -1 Admission only** and COVID-19 rapid antigen test at **Day -1, Day 7, Day 14, Day 21, Day 27, and Day 41 Admission.**

**\*payment to occur within 48 hours after payment visit day**

**May 2026**



**GLP-131 MAD Cohort 4**

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					<b>1</b> <b>Day 38 Home Dose</b> <i>*Complete dosing diary</i>	<b>2</b> <b>Day 39 Home Dose</b> <i>*Complete dosing diary</i>
<b>3</b> <b>Day 40 Home Dose</b> <i>*Complete dosing diary</i>	<b>4</b> <b>Day 41 Home Dose &amp; Admission</b> <i>**Bring IP and dosing diary</i>	<b>5</b> <b>Day 42 Dose</b>	<b>6</b> <b>Day 43 Inpatient</b>	<b>7</b> <b>Day 44 Discharge Payment #3*</b>	<b>8</b>	<b>9</b>
<b>10</b>	<b>11</b>	<b>12</b> <b>Day 49 Follow-Up Visit (EOS) Payment #4*</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b>
<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>
<b>31</b>						

Study Inpatient dates:

- Mar 24-26, 2026
- Mar 31-Apr 02, 2026
- Apr 07-09, 2026
- Apr 14-16, 2026
- Apr 20-22, 2026
- May 04-07, 2026

Study Home Dosing dates:

- Mar 27-31, 2026
- Apr 03-07, 2026
- Apr 10-14, 2026
- Apr 17-20, 2026
- Apr 23-May 04, 2026

Study Outpatient dates:

- May 12, 2026

Instructions / Restrictions:

- Avoid use of any prescribed or over-the-counter drug or herbal remedies (other than HRT/hormonal contraception) **in the 14 days before Day 1.**
- Avoid use of strong and moderate CYP3A4 inhibitors (including Seville oranges, grapefruit, grapefruit hybrids or grapefruit juice) or sensitive substrates of CYP3A4 or P-gp/BCRP with narrow therapeutic indices **in the 14 days before Day 1.**
- Avoid use of CYP3A4 inducers **in the 28 days before Day 1.**
- Avoid donation of plasma **in the 7 days before Day 1.** Avoid donation of blood or plasma **from first admission, throughout the study duration, and for at least 30 days following last dose of study medication.**
- Abstain from alcohol during the **48 h prior to first admission until 72 h post-final dose.**
- Abstain from marijuana, THC, or CBD products during the **48 h prior to first admission until 72 h post-final dose.**
- Avoid drinking liquids or eating foods containing grapefruit, cranberry, caffeine or other xanthines from **24 h prior to first dose until 72 h post-final dose.**
- Refrain from eating food containing poppy seeds for **48 h prior to first admission until 72 h post-final dose.**
- Refrain from eating food containing cruciferous vegetables (e.g. broccoli, brussels sprouts, cabbage, cauliflower, horseradish, kale, kohlrabi, mustard seeds/leaves, radish, wasabi and watercress) or barbecued/chargrilled meat for **7 days prior to first admission until 72 h post-final dose.**
- Refrain from using biotin or biotin-containing products during the **72 h prior to first admission until 72 h post-final dose.**
- Avoid any unaccustomed or strenuous exercise from **72 h prior to first admission until 72 h post-final dose.**
- Minimize exposure to sunlight by spending a reduced amount of time outdoors/remaining inside the clinical unit during residential periods of the study, wearing sunglasses and clothing that minimizes exposure to sunlight, and using sun cream on exposed areas when going outdoors, and avoid using sunbeds **from first dose until 7 days post-final dose.**

**Reminder:** Breath alcohol and cotinine & urine drug test at **Day -1 Admission only** and COVID-19 rapid antigen test at **Day -1, Day 7, Day 14, Day 21, Day 27, and Day 41 Admission.**

**\*payment to occur within 48 hours after payment visit day**