

February 2026



PATAS-CL-001 SAD Cohort 2 Sentinels & Non-Sentinels

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25 Begin medication restrictions	26	27	28

Study Inpatient dates:

Sentinels: Mar 11-15, 2026

Non-Sentinels: Mar 16-20, 2026

Study Outpatient dates:

Sentinels: Mar 22, 2026 and Apr 09, 2026

Non-Sentinels: Mar 27, 2026 and Apr 14, 2026

Instructions / Restrictions:

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

Reminder: Breath alcohol, cotinine & urine drug test, and COVID-19 rapid antigen test at Admission (Day -1).

***payment to occur within 48 hours after payment visit day**

March 2026



PATAS-CL-001 SAD Cohort 2 Sentinels & Non-Sentinels

Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2 Begin medication restrictions	3	4	5	6	7
8 Begin contact sports and strenuous exercise restrictions	9 Begin caffeine and xanthine restrictions	10	11 Day -1 Admission	12 Day 1 Dose	13 Day 2 Inpatient Begin contact sports and strenuous exercise restrictions	14 Day 3 Inpatient Begin caffeine and xanthine restrictions
15 Day 4 Discharge Payment 1*	16 Day -1 Admission	17 Day 1 Dose	18 Day 2 Inpatient	19 Day 3 Inpatient	20 Day 4 Discharge Payment 1* Begin caffeine and xanthine restrictions	21
22 Day 11 OPV Payment 2*	23	24	25 Begin caffeine and xanthine restrictions	26	27 Day 11 OPV Payment 2*	28
29	30	31				

Study Inpatient dates:

Sentinels: Mar 11-15, 2026

Non-Sentinels: Mar 16-20, 2026

Study Outpatient dates:

Sentinels: Mar 22, 2026 and Apr 09, 2026

Non-Sentinels: Mar 27, 2026 and Apr 14, 2026

Instructions / Restrictions:

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

Reminder: Breath alcohol, cotinine & urine drug test, and COVID-19 rapid antigen test at Admission (Day -1).

***payment to occur within 48 hours after payment visit day**

April 2026



PATAS-CL-001 SAD Cohort 2 Sentinels & Non-Sentinels

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1	2	3	4
5	6	7	8	9 Day 29 OPV (EOS) Payment 3*	10	11
12	13	14 Day 29 OPV (EOS) Payment 3*	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

Study Inpatient dates:

Sentinels: Mar 11-15, 2026

Non-Sentinels: Mar 16-20, 2026

Study Outpatient dates:

Sentinels: Mar 22, 2026 and Apr 09, 2026

Non-Sentinels: Mar 27, 2026 and Apr 14, 2026

Instructions / Restrictions:

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

Reminder: Breath alcohol, cotinine & urine drug test, and COVID-19 rapid antigen test at Admission (Day -1).

***payment to occur within 48 hours after payment visit day**