

**April 2026**



**PATAS-CL-001 SAD Cohort 3 Sentinels & Non-Sentinels**

**Study Inpatient dates:**  
 Sentinels: May 05-09, 2026  
 Non-Sentinels: May 11-15, 2026

**Study Outpatient dates:**  
 Sentinels: May 16 and Jun 03, 2026  
 Non-Sentinels: May 22 and Jun 09, 2026

**Instructions / Restrictions:**

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>
<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>
<b>19</b>	<b>20</b>	<b>21</b> Begin medication restrictions	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>
<b>26</b>	<b>27</b> Begin medication restrictions	<b>28</b>	<b>29</b>	<b>30</b>		

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

**Reminder:** **Breath alcohol**, cotinine & **urine drug test**, and COVID-19 rapid antigen test at **Admission (Day -1).**

**\*payment to occur within 48 hours after payment visit day**

**May 2026**

**MEDPACE**  
Clinical Pharmacology

**PATAS-CL-001 SAD Cohort 3 Sentinels & Non-Sentinels**

Sun	Mon	Tue	Wed	Thu	Fri	Sat
					<b>1</b>	<b>2</b> Begin contact sports and strenuous exercise restrictions
<b>3</b> Begin caffeine and xanthine restrictions	<b>4</b>	<b>5</b> <b>Day -1 Admission</b>	<b>6</b> <b>Day 1 Dose</b>	<b>7</b> <b>Day 2 Inpatient</b>	<b>8</b> <b>Day 3 Inpatient</b> Begin contact sports and strenuous exercise restrictions	<b>9</b> <b>Day 4 Discharge Payment 1*</b> Begin caffeine and xanthine restrictions
<b>10</b>	<b>11</b> <b>Day -1 Admission</b>	<b>12</b> <b>Day 1 Dose</b>	<b>13</b> <b>Day 2 Inpatient</b>	<b>14</b> <b>Day 3 Inpatient</b> Begin caffeine and xanthine restrictions	<b>15</b> <b>Day 4 Discharge Payment 1*</b>	<b>16</b> <b>Day 11 OPV Payment 2*</b>
<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b> Begin caffeine and xanthine restrictions	<b>21</b>	<b>22</b> <b>Day 11 OPV Payment 2*</b>	<b>23</b>
<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>
<b>31</b>						

**Study Inpatient dates:**  
Sentinels: May 05-09, 2026  
Non-Sentinels: May 11-15, 2026

**Study Outpatient dates:**  
Sentinels: May 16 and Jun 03, 2026  
Non-Sentinels: May 22 and Jun 09, 2026

**Instructions / Restrictions:**

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

**Reminder: Breath alcohol, cotinine & urine drug test, and COVID-19 rapid antigen test at Admission (Day -1).**

**\*payment to occur within 48 hours after payment visit day**

**June 2026**



**PATAS-CL-001 SAD Cohort 3 Sentinels & Non-Sentinels**

Sun	Mon	Tue	Wed	Thu	Fri	Sat
	<b>1</b>	<b>2</b>	<b>3</b> Day 29 OPV (EOS) Payment 3*	<b>4</b>	<b>5</b>	<b>6</b>
<b>7</b>	<b>8</b>	<b>9</b> Day 29 OPV (EOS) Payment 3*	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>
<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>
<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>
<b>28</b>	<b>29</b>	<b>30</b>				

**Study Inpatient dates:**  
Sentinels: May 05-09, 2026  
Non-Sentinels: May 11-15, 2026

**Study Outpatient dates:**  
Sentinels: May 16 and Jun 03, 2026  
Non-Sentinels: May 22 and Jun 09, 2026

**Instructions / Restrictions:**

- Continue to follow birth control requirements outlined in the informed consent and abstain from egg or sperm donation **during the study and for 90 days following the last dose of study drug (Day 1).**
- Abstain from smoking or use of tobacco or nicotine-containing products for **90 days prior to screening and during the study.**
- Abstain from participating in contact sports or unaccustomed strenuous exercise for **72 hours prior to screening and admission (Day -1) until the End of Study (EOS) Visit (Day 29).**
- Avoid consuming liquids and foods containing caffeine or xanthine (e.g., coffee, tea, and/or chocolate) from **48 hours prior to admission (Day -1) until discharge (Day 4) and for 48 hours prior to Day 11.**
- Avoid use of prescribed or over-the-counter drugs (including vitamins, hormone replacement therapy, supplements, and natural and herbal remedies [e.g., St. John's wort]) in the **14 days prior to admission (Day -1) and throughout the duration of the study.**
- Avoid donation or loss of greater than or equal to 450 mL (about 2 cups) of blood, blood products or components within **90 days prior to screening and throughout the study.**
- Avoid receiving blood transfusion within **90 days prior to screening.**
- Avoid taking any investigational drug within **30 days (or 90 days for biologics) before first study drug administration (Day 1).**
- Avoid use of any immunosuppressants or systemic steroids for greater than or equal to 7 days in the **90 days prior to admission (Day -1).**

**Reminder:** Breath alcohol, cotinine & urine drug test, and COVID-19 rapid antigen test at **Admission (Day -1).**

**\*payment to occur within 48 hours after payment visit day**